

**Revision History:**

2023/09/25 ==> first version

## DRIVER DISC content

<b>Layer 1</b>	
<b>\API Package</b>	Folder
<b>\DRIVER</b>	Folder
<b>\USER MANUAL</b>	Folder
<b>README</b>	PDF file

  

<b>Layer 3 \API Package \A01-0000-000-03-170701 x64(BS-0986) folder</b>	
<b>\DEMO PROJECT</b> folder	Demo AP
<b>\Document</b> folder	Guide
<b>\I2C Precautions</b> folder	Adjust
<b>\ProxAPI Standard</b> folder	API

## Layer 2 \DRIVER folder

\Flash BIOS folder

BIOS & Updating tool

\Platform folder

Driver

1. The sequence of setup is,  
1\_Main Chip => 2\_Hotfix => 3\_Graphics => 4\_TXE => 5\_LAN Chip => 6\_Sound Codec => 7\_Serial IO
2. You will be prompted to reboot when installation is complete.

### Main Chip /Intel® J3455 SoC

Main board version		
Win10 2016 LTSB	64bit	10.1.1.38

### Intel® TXE Package

Win10 2016 LTSB	64bit	3.0.19.0
-----------------	-------	----------

### Hotfix

Win10 2016 LTSB	64bit	1kb3211320-x64
Win10 2016 LTSB	64bit	kb3213986-x64

### Graphics

Main board version		
Win10 2016 LTSB	64bit	1.7.26.0

### LAN Chip

Main board version		
Win10 2016 LTSB	64bit	1.0.0.0

### Serial IO

Main board version		
Win10 2016 LTSB	64bit	2.2.22.0

### Sound

Main board version		
Win10 2016 LTSB	64bit	R2.81

**\Device** folder

**Touch**

OS	Bit	Driver
Win10 2016 LTSC	64bit	5.14.0.14916

**Layer 2 \USER MANUAL** folder

<b>User Manual</b>	System Guide
<b>PDF File reader</b>	AdbeRdr1011_en_US.exe