

Revision History:

2023/09/25 ==> first version

DRIVER DISC content

Layer 1	
\API Package	Folder
\DRIVER	Folder
\USER MANUAL	Folder
README	PDF file

Layer 3 \API Package \A01-0000-000-03-170701 x64(BS-0986) folder	
\DEMO PROJECT folder	Demo AP
\Document folder	Guide
\I2C Precautions folder	Adjust
\ProxAPI Standard folder	API

Layer 2 \DRIVER folder

\Flash BIOS folder

BIOS & Updating tool

\Platform folder

Driver

1. The sequence of setup is,
1_Main Chip => 2_Hotfix => 3_Graphics => 4_TXE => 5_LAN Chip => 6_Sound Codec => 7_Serial IO
2. You will be prompted to reboot when installation is complete.

Main Chip /Intel® J3455 SoC

Main board version		
Win10 2016 LTSB	64bit	10.1.1.38

Intel® TXE Package

Win10 2016 LTSB	64bit	3.0.19.0
-----------------	-------	----------

Hotfix

Win10 2016 LTSB	64bit	1kb3211320-x64
Win10 2016 LTSB	64bit	kb3213986-x64

Graphics

Main board version		
Win10 2016 LTSB	64bit	1.7.26.0

LAN Chip

Main board version		
Win10 2016 LTSB	64bit	1.0.0.0

Serial IO

Main board version		
Win10 2016 LTSB	64bit	2.2.22.0

Sound

Main board version		
Win10 2016 LTSB	64bit	R2.81

\Device folder

Touch

OS	Bit	Driver
Win10 2016 LTSC	64bit	5.14.0.14916

Layer 2 \USER MANUAL folder

User Manual

System Guide

PDF File reader

AdbeRdr1011_en_US.exe