## DRIVER UTILITY SP-6205 SP-6207 SP-6209 V1.1

All rights reserved. Copyright 2019

Driver Revision History 2018/01/04 Added WIFI Module Driver for FANGTEC ZQ802XRN7-01

**Driver version History** 

2013/12/27 Version: SP-6205 SP-6207 SP-6209 V1.0 2018/01//04 Version: SP-6205 SP-6207 SP-6209 V1.1

-----

======

- 1. Click on the self-extracting and self-installing setup file and answer all prompts presented.
- 2. You will be prompted to reboot when installation is complete.
- 3.The sequence of setup is Mainchip --> VGA --> LAN --> SOUND

======

DRIVER CD CONTENT

\_\_\_\_\_\_

======

DRIVER\---+-->\Flash BIOS\AFU.bat

+--->\Platform\XP (32-bit)\Main Chip\infinst\_autol.exe (Intel Chipset Software Installation Utility only for windows OS)

+--->\Platform\Win7(32-bit)\Main Chip\infinst\_autol.exe (Intel Chipset Software Installation Utility only for windows OS)

+--->\Platform\Win7(64-bit)\Main Chip\infinst\_autol.exe (Intel Chipset

```
Software Installation Utility only for windows OS)
            +--->\Platform\XP (32-bit)\Graphics\Setup.exe (WINXP 32bit DRIVER)
            +--->\Platform\Win7(32-bit)\Graphics\Setup.exe (WIN7 32bit
DRIVER)
            +--->\Platform\Win7(64-bit)\Graphics\Setup.exe (WIN7 64bit
DRIVER)
            +--->\Platform\XP (32-bit)\LAN\Intel\setup.exe (WINXP 32bit DRIVER)
            +--->\Platform\Win7(32-bit)\LAN\Intel\Setup.exe (WIN7 32bit DRIVER)
            +--->\Platform\Win7(64-bit)\LAN\Intel\Setup.exe (WIN7 64bit DRIVER)
            +--->\Platform\XP (32-bit)\Audio\WDM_R270.exe
                                                                    (WINXP
32bit DRIVER)
            +--->\Platform\Win7(32-bit)\Audio\Vista_Win7_R267.exe (WIN7 32bit
DRIVER)
            +--->\Platform\Win7(64-bit)\Audio\Vista Win7 R270.exe (WIN7 64bit
DRIVER)
            +--->\Platform\XP (32-bit)\ME8 5M 8.0.10.1464\Setup.exe (WINXP
32bit DRIVER)
            +--->\Platform\Win7(32-bit)\ME8 5M 8.0.10.1464\Setup.exe (WIN7
32bit DRIVER)
            +--->\Platform\Win7(64-bit)\ME8 5M 8.0.10.1464\Setup.exe (WIN7
64bit DRIVER)
            +--->\Platform\Win7(32-bit)\USB3.0\Setup.exe (WIN7 32bit DRIVER)
            +--->\Platform\Win7(64-bit)\USB3.0\Setup.exe (WIN7 64bit DRIVER)
        ١
        +--->\Device\Embedded Wireless\ZQ802XRN7-01\Win7 Win8 Win10(32-64
bit)\Setup.exe
```

=======

1. System BIOS Update

Users of AMI BIOS can use the program "AFU.bat" contained in CD-ROM for BIOS update.

a. This is found in CD:\Flash\AFU.bat

## **BIOS FLASH SETUP:**

a. Prepare a bootable flash drive and include DOS files: AFUDOS.EXE,AFU.BAT and "BIOS ROM file

(ex.3252XXXX.ROM)" (\*the flash drive need 2MB free space.)

b. Use flash drive to boot, then type "AFU 3252XXXX.ROM" and press enter to automatically flash BIOS.

(ex. C:\>afu 32520P01.ROM <enter>)

- 2. The system has LAN function (Realtek RTL8111DL) that can support various network adapters. The content of the LAN driver is found as follows:
  - a. Windows XP\_POS Ready2009 /Windows 7\_32\_64bit
- 3. The Realtek ALC888 HD Audio codec sound function enhanced in this system fully compatible with

Windows XP, Windows Vista you will find the content of the Sound driver.

- a. Windows XP\_POS Ready2009 /Windows 7\_32\_64bit
- 4. The UTILITY directory is contained in CD-ROM for INTEL D525 Driver
  - a. Windows XP\_POS Ready2009 /Windows 7\_32\_64bit

5. The VGA interface (Intel(R) Graphics Media Accelerator 3150 ) is embedded with
our system to support
CRT display, Panel Link (optional) and TV-Out Encoder (optional). The following
illustration briefly showa
you the content of VGA driver in sub-directory \VGA\
a. Windows XP_POS Ready2009 /Windows 7_32_64bit
**** Third party trademarks or brand names are the property of their owners.****
======