

SP-714X V1.2

2017/12/12

Revision History:


2017/8/31 ==> first version

==> Add touch controller WES 7 driver

2017/12/12 ==> Changed User Manual version to M2

DRIVER DISC content

Layer 1	
\API Package	Folder
\DRIVER	Folder
\USER MANUAL	Folder
README	PDF file



Layer 2 \API Package folder	
\DEMO PROJECT folder	Demo AP
\Prox API Standard folder	API
\Document folder	Guide

Layer 2 \DRIVER folder	
\Flash BIOS folder	BIOS & Updating tool
\Platform folder	Driver 1. The sequence of setup is, Main Chip => Intel(R) ME Package => KMDf(Win7) => VGA => LAN => SOUND => USB3.0 [Device folder] (Win7) 2. You will be prompted to reboot when installation is complete.

Main Chip

Main board version		
Win7, Win10	32bit	10.1.1.38
	64bit	10.1.1.38

Intel® TXE Package

Win7, Win10 (J1900)	32bit	1.1.0.1064
	64bit	1.1.0.1064

Win7, Win10 (E3845)	32bit	1.1.0.1064
	64bit	1.1.0.1064

Windows update KMDf

Win7	32bit	kmdf-1.11-Win-6.1-x86
	64bit	kmdf-1.11-Win-6.1-x64

Graphics

Main board version		
Win7, Win10	32bit	15.33.44.4491
	64bit	15.33.44.64.4491

LAN Chip/ Realtek RTL8119

Main board version		
Win7,	32bit	21.0
	64bit	21.0
Win10	32bit	21.0
	64bit	21.0

Sound Codec / Realtek ALC888S

Main board version		
Win7, Win10	32bit	2.79
	64bit	2.79

USB 3.0

Win7, WES7	32bit	5.0.3.42
	64bit	5.0.3.42

\Device folder

Touch Controller / EETI ETP-MB-MER4050UEBG-035-wire

Win7, POS Ready7_Win8.1	Resistive (ETP-MB-MER4050UEBG)	32bit	5.13.0.14917
		64bit	5.13.0.14917
Win10	Resistive (ETP-MB-MER4050UEBG)	32bit	5.14.0.14916
		64bit	5.14.0.14916

Touch Controller / MC162A30

WES7	P-CAP	32bit	5.14.0.15315
		64bit	5.14.0.15315

Layer 2 \USER MANUAL folder	
------------------------------------	--

User Manual	System Guide
--------------------	--------------

PDF File reader	AdbeRdr930_en_US.exe
------------------------	----------------------